

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION


PATENT NO. : 7,589,112 B2
APPLICATION NO. : 10/532574
DATED : September 15, 2009
INVENTOR(S) : Hans-Peter Buchstaller et al.

Page 1 of 2

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Please delete Claim 1, at Column 356, line 5, and insert therefor:

--1. A compound of formula II,



wherein

Ar¹ is phenyl,

Ar² is pyridinyl,

R⁶, R⁷ are independently H or A,

R⁸, R⁹ and R¹⁰ are independently selected from the group consisting of H,

A, cycloalkyl comprising 3 to 7 carbon atoms, Hal, CH₂Hal, CH(Hal)₂, C(Hal)₃, NO₂,
(CH₂)_nCN, (CH₂)_nNR¹¹R¹², (CH₂)_nO(CH₂)_kNR¹¹R¹², (CH₂)_nNR¹¹(CH₂)_kNR¹¹R¹²,
(CH₂)_nO(CH₂)_kOR¹¹, (CH₂)_nNR¹¹(CH₂)_kOR¹², (CH₂)_nCOOR¹³, (CH₂)_nCOR¹³,
(CH₂)_nCONR¹¹R¹², (CH₂)_nNR¹¹COR¹³, (CH₂)_nNR⁸CONR¹¹R¹², (CH₂)_nNR¹¹SO₂A,
(CH₂)_nSO₂NR¹¹R¹², (CH₂)_nS(O)_uR¹³, (CH₂)_nOC(O)R¹³, (CH₂)_nCOR¹³, (CH₂)_nSR¹¹,
CH=N-OA, CH₂CH=N-OA, (CH₂)_nNHOA, (CH₂)_nCH=N-R¹¹, (CH₂)_nOC(O)NR¹¹R¹²,
(CH₂)_nNR¹¹COOR¹³, (CH₂)_nN(R¹¹)CH₂CH₂OR¹³, (CH₂)_nN(R¹¹)CH₂CH₂OCF₃,
(CH₂)_nN(R¹¹)C(R¹³)HCOOR¹², (CH₂)_nN(R¹¹), C(R¹³)HCOOR¹¹,
(CH₂)_nN(R¹¹)CH₂CH₂N(R¹²)CH₂COOR¹¹, (CH₂)_nN(R¹¹)CH₂CH₂NR¹¹R¹²,
CH=CHCOOR¹³, CH=CHCH₂NR¹¹R¹², CH=CHCH₂NR¹¹R¹², CH=CHCH₂OR¹³,
(CH₂)_nN(COOR¹³)COOR¹⁴, (CH₂)_nN(CONH₂)COOR¹³, (CH₂)_nN(CONH₂)CONH₂,
(CH₂)_nN(CH₂COOR¹³)COOR¹⁴, (CH₂)_nN(CH₂CONH₂)COOR¹³,
(CH₂)_nN(CH₂CONH₂)CONH₂, (CH₂)_nCHR¹³COR¹⁴, (CH₂)_nCHR¹³COOR¹⁴,
(CH₂)_nCHR¹³CH₂OR¹⁴, (CH₂)_nOCN and (CH₂)_nNCO,

wherein

R¹¹, R¹² are independently selected from the group consisting of H, A, and (CH₂),

R¹³, R¹⁴ are independently selected from the group consisting of H, Hal, A, and

(CH₂)_mAr⁴,

Signed and Sealed this

Tenth Day of August, 2010

David J. Kappos
Director of the United States Patent and Trademark Office

A is selected from the group consisting of alkyl, alkenyl, cycloalkyl, alkylencycloalkyl, alkoxy, and alkoxyalkyl,

Ar³, Ar⁴ are independently aromatic hydrocarbon residues comprising 5 to 12 carbon atoms which are optionally substituted by one or more substituents, selected from the group consisting of A, Hal, NO₂, CN, OR¹⁵, NR¹⁵R¹⁶, COOR¹⁵, CONR¹⁵R¹⁶, NR¹⁵COR¹⁶, NR¹⁵CONR¹⁵R¹⁶, NR¹⁶SO₂A, COR¹⁵, SO₂R¹⁵R¹⁶, S(O)_uA and OOCR¹⁵, R¹⁵, R¹⁶ are independently selected from the group consisting of H, A, and (CH₂)_mAr⁶, wherein

Ar⁶ is a 5- or 6-membered aromatic hydrocarbon which is optionally substituted by one or more substituents selected from the group consisting of methyl, ethyl, propyl, 2-propyl, tert.-butyl, Hal, CN, OH, NH₂ and CF₃,

k, n and m are independently of one another 0, 1, 2, 3, 4, or 5;

X is O,

Y is O or S,

p, r are independently 0, 1, 2, 3, 4 or 5,

q is 0, 1, 2, 3 or 4,

u is 0, 1, 2 or 3,

and

Hal is selected from the group consisting of F, Cl, Br and I;

and a pharmaceutically acceptable salt thereof.--